

Interhospital conference โรงพยาบาลสงขลานครินทร์

6 สิงหาคม 2564 เคสที่ 1

ผู้ป่วยชายไทย อายุ 43 ปี อาชีพ แพทย์ ภูมิลำเนา จ.ชุมพร

เข้ารับการรักษารพ.สงขลานครินทร์ วันที่ 8 กรกฎาคม 2564

ประวัติได้จากผู้ป่วย ภรรยา (แยกกันอยู่) และเวชระเบียน

อาการสำคัญ : ใช้ 2 สัปดาห์ก่อนมาโรงพยาบาล

ประวัติปัจจุบัน

2 สัปดาห์ก่อนมาโรงพยาบาล มีไข้ต่ำๆ ไม่มีไอเสมหะ ไม่มีเจ็บคอ ไม่เหนื่อย ไม่มีท้องเสียถ่ายเหลว ไม่มีปวดท้อง ปัสสาวะปกติ ไม่มีผื่นตามตัว ไปโรงพยาบาลใกล้บ้าน นอนโรงพยาบาลให้การรักษา แต่ยังมีไข้ตลอด

1 สัปดาห์ก่อนโรงพยาบาล ปวดศีรษะ คลื่นไส้ อาเจียน ยังมีไข้

6 วันก่อนมาโรงพยาบาล ปัสสาวะไม่ออก แพทย์ทำ intermittent catheterization ได้ ปัสสาวะ 800 ml

5 วันก่อนมาโรงพยาบาล พุดจาไม่รู้เรื่อง สับสน ถามตอบไม่ตรงคำถาม ขาสองข้างอ่อนแรง ลูกเดินไม่ไหว แขนขาสองข้างชกและหิบบีบของได้ปกติ ไม่มีผื่นแพ้แสง ไม่มีผื่นม่วง ไม่มีปวดข้อ ไม่มีไอเรื้อรัง ไม่มีน้ำหนัลด ไม่มีก้อนตามตัว

3 วันก่อนมาโรงพยาบาล เกร็งกระตุกแขนขาทั้งตัว เรียกไม่รู้สีกตัว 1 นาที หลังจากนั้นซึมลง เรียกไม่ตื่น ไม่ขยับแขนขา แพทย์จึงใส่ท่อช่วยหายใจและติดต่อส่งตัวมาโรงพยาบาลสงขลานครินทร์

ประวัติอดีต : โรคประจำตัว ความดันโลหิตสูง

ยาที่ใช้ประจำ : Amlodipine 5 mg

ประวัติส่วนตัว : ปฏิเสธประวัติสูบบุหรี่และดื่มแอลกอฮอล์

Physical examination

V/S : BT 34.8°C PR 43/min RR 16/min BP 150/99 mmHg

BW 70 kg , Height 180 cm , BMI 21.60 kg/m²

General appearance : Thai male , comatose

HEENT: not pale conjunctiva , anicteric sclera , no malar rash , no discoid rash , no oral ulcer

Lymph nodes : no lymphadenopathy

CVS: normal S1S2, no murmur

RS: clear and equal breath sound both lungs

Abdomen: no distension, normoactive bowel sound , soft, not tender, Liver and spleen can't be palpated

Extremities: no pitting edema ,no rash

Neurological examination :

- CN II : pupil 2 mm BRTL, RAPD negative
- CN III, IV, VI : resting eye at midline and correctable with Vestibuloocular reflex
- CN V : corneal reflex present
- CN VII : no facial palsy
- CN IX, X : uvula at midline , gag reflex present
- CN XI : cannot evaluated
- CN XII : tongue at midline
- Motor system :
 - no fasciculation , flaccid tone , no atrophy
 - Motor power grade 0 all extremities
 - PPS : cannot evaluated
 - Babinski 's sign : plantarflexion both sides
 - Clonus : negative both sides
 - PR : loose sphincter tone , absent anal wink, bulbocavernosus reflex absent
 - DTR 1+ all extremities
 - No Stiffness of neck
 - Cerebellar : cannot evaluated

